SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R. Bangalore	Time of delivery
1	Registration ink suitable for Permanent Records. (in bottles of 24—ounces each).	480 bottles	...	...

N.B.—1. The ink offered should be got tested at the Mysore Industrial and Testing Laboratory, Malleswaram; and a copy of the test report signed by that officer should be attached to the quotation. It should be clearly noted that quotations without the test reports will not be considered.
2. The quotations will be opened at 12 noon on the next working day.
3. Prices to be quoted should be firm and exclusive of Sales-tax.

8275

Dated 15th January 1951.

To

The Firms dealing in Trolley Steel Rope.

Enquiry No. 10,261.

Subject :—Trolley Steel Rope required for Jog.

Gentlemen,

No. S.P.C. 46702-732. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Trolley Steel Rope for Jog Electrical Department", with the above enquiry number.

The enquiry will be closed on the 15th February 1951.

SCHEDULE.

	F.O.R., Talaguppa, M.S. Rly.	Quantity
Two lengths of 2,100 ft. each 1½" diameter (3·7/8" circumference) best quality plow steel wire rope 6/19 construction with main hemp core and having a tensile strength of 110/120 tons per sq. inch for the Steel strands and a breaking strength of 58 tons.		4,200

The ropes are required to haul up Trolley Cabs with pay-load of about 5 tons each along an inclined track of 1900' long with an inclination of 37°. The ropes should be supplied on two reels, each reel containing 2100' of Steel Rope in a continuous length.

8275a

Dated 16th January 1951.

To

The firms dealing in Non-Ferrous Strips.

Enquiry No. 10258.

Subject:—Non Ferrous Strips, etc.

GENTLEMEN,

No. S.P.C. 46576—596. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the from printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Non-Ferrous Strips required for the Government Electric Factory, Bangalore," with the above enquiry number.

This enquiry will be closed on the 5th February 1951.

SCHEDULE.

		Quantity required	Price quoted F.O.R.
1	COPPER STRIPS:—		
	26th or 2 G×2½" width ...	548 Lbs.	...
2	BRASS STRIPS:— ...		
	16G×1½" width ...	182 ,,	...
	15G×1½" do ...	300 ,,	...
	16G×2½" do ...	2,566 ,,	...
	20G×1 1/8" width ...	2,260 ,,	...
3	BRASS SHEETS: —		
	24G. 4'×4' ...	60 ,,	...
	¼" thick 4'×2' ...	84 ,,	...
4	PHOSPHOR BRONZE STRIPS:—		
	21G×1½" width ...	92 ,,	...
	21G×1 1/8" do ...	1,085 ,,	...
	16G×2 1/8" do ...	860 ,,	...
	16G×4 1/8" do ...	550 ,,	...
	18G×1 1/8" do ...	550 ,,	...
5	BRASS RODS: —		
	⅜" dia. ...	14,979'—3"	...
	½" dia. ...	2,212 lbs.	...
	9/16" dia. ...	323 ,,	...
	⅝" dia. ...	1,279 ,,	...
	¾" dia. ...	1,020 ,,	...
	7/8" dia. ...	438'—7"	...
	1 1/8" dia. ...	744'	...
	1½" dia. ...	24'—4"	...
	8/16" dia. ...	808 lbs.	...
6	BRASS HEX BARS: —		
	1 1/8" ...	213 ft.	...
	5/8" ...	147'—10"	...
	⅜" ...	170'	...
7	BRASS TUBES: —		
	½"×5/8" ...	1,358 ft.	...
	⅜"×6/8" ...	48'—6"	...
	7/16"×3/8" ...	31 ft.	...
	¼"×7/16" ...	12 ft.	...
	1 11/16"×1 19/32"×12½" ...	14 Nos.	...
	1 19/32"×1½"×12½" ...	14 ,,	...
8	COPPER TUBES: —		
	5/16"×3/8" ...	1,125 ft.	...
	5/8"×¼" ...	1,893'—6"	...
9	Copper Ingots ...	Ton 1—19—2—2	...
10	Aluminium ...	Ton 0—19—1—18	...
11	Copper Rod 1" dia. ...	374'—10"	...
12	16G. Spring Wire ...	66 lbs.	...
13	1/8" steel spring wire ...	105 lbs.	...

N.B.—1. Quotations should be submitted in duplicate.
2. Quotations with Firm prices and for supply from ready stocks are preferred.
3. Sales-Tax if any, should be quoted separately.
4. Quotations will be opened at 12 noon on the next working day after the closing date.

7991

Dated 16th January 1951.

To

The Firms dealing in Medicines.

Enquiry No. 10275.

Subject :—Glass Ampoules for use in the Public Health Department.

Dear Sir/Gentlemen,

No. S.P.C. 47184-204. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Glass Ampoules for use in the Public Health Department," with the above enquiry number.

This enquiry will be closed on the 31st January 1951.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F.O.R. Bangalore	Time of delivery
	Flat bottomed Plain neck 3 mm. dia. of neck :—			
1	20 c.c. ampoules (neutral glass ampoules)	1,00,000	...	...
2	10 cc. do ...	1,00,000	...	...
3	5 cc. do ...	50,000	...	...
4	2 cc. do ...	25,000	...	...
5	1 cc. do ...	25,006	...	...

N.B.—1. Quotations with firm prices are preferred.
2. Sales-tax should be quoted separately.
3. Quotations will be opened at 12 noon on the next working day.

8195a